




0434

Safety Data Sheet


-Cobalt-

According to EG 1907/2006 (REACH)



Versions-No.: 05

Valid from: 12/2014
Replaces version No. 04 from 09/2013

1. Identification of substance and company	
1.1 Trade name:	KERA C, KERAGEN, KERA 501, VEGA, KERA SYS, MAIN METALL, ROBUR 400, TENER 350, TENER IT, DENTIUM, DENTES, TENER C, TENER X, KERA-DISC, VEGA-DISC, KERA LINE KERA LA-CON, KERA WEL-CON
1.2 Product details:	Cobalt alloy, Dental Continuous casting; or other casting process
Product form:	Rod, disc, cylinder, or varying geometries
Purpose:	The production of crowns, bridges and dentures in dentistry
1.3 Manufacturer:	Eisenbacher Dentalwaren ED GmbH
Street:	Dr.-Konrad-Wiegand-Str. 9
ZIP/city/Country.:	63939 Woerth / GERMANY
Phone:	+49 9372 - 94 04 0
Fax:	+49 9372 - 94 04 29
Information department:	Klaus Renner +49 9372 - 94 04 - 130 k.renner@eisenbacher.de
Emergency information:	+49 9372 - 94 04 - 130
Email:	info@eisenbacher.de
Homepage:	www.eisenbacher.de
2. Hazards identification	
2.1 Hazard designation:	Not applicable - see section 2.2
Information pertaining to particular dangers for man and environment:	Due to the calculation procedure of the "General rating principles for the preparation of the EG" in the ultimate version the product is not subject to marking.
User:	Skilled personnel (Dental technicians, dentists)
Classification system:	The classification is in line with the current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.
2.2 Hazard warning:	The following marking shall not apply to the alloy but only for the processing and treatment may be incurred Vapors, fumes and dusts.
	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 - May cause an allergic skin reaction. H413 - May cause long lasting harmful effects to aquatic life. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
2.3 Other hazards in the supply and processing of the alloy:	Inhalation of grinding dust, irritation of the skin and eyes.
3. Composition/Data on components	
The information as to risk and precautions given in the chapters 4 to 8, 10 to 12 do not only apply to the product itself, rather to the resulting dust and vapours generated on working with it.	
3.1 Chemical composition:	
Co-Cr-Alloy	Chemical characterization:
Cobalt Co	Rest 50 - 70 % CAS: 7440-48-4 EINECS: 231-158-0
Chrome Cr	19 - 30 % CAS: 7440-47-3 EINECS: 231-157-5




0434

Safety Data Sheet

-Cobalt-

According to EG 1907/2006 (REACH)



Versions-No.: 05

Valid from: 12/2014
Replaces version No. 04 from 09/2013

Silicone Si	0 - 2 %	CAS: 7440-21-3 EINECS: 231-130-8
4. First aid measures		
4.1 General information:	No special measures required	
4.2 Important acute and delayed symptoms and effects:		
After inhaling:	Fresh air; in case of disorders, please contact a doctor.	
After swallowing:	Rinse out the mouth and drink water afterwards. In case of continuous disorders, a doctor should be consulted	
After skin contact:	Wash with water and soap	
After eye contact:	Rinse eyes under running water and consult a doctor	
4.3 Information for the doctor:	Control examination according to the BG-guidelines G39	
5. Fire fighting measures		
5.1 Suitable extinguishing aids:	Use firefighting measures that suit the environment. ABC dry powder, foam or sand. NO WATER!	
5.2 Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases:	Metal vapors and metal oxides in the form of smoke and gas. Dusts are self-heating and can catch fire. Spontaneous combustion on contact with air. In contact with water releases flammable gases which may ignite spontaneously.	
5.3 Protective equipment:	Only use the specified under 5.1 Extinguishing media. Avoid inhalation of fumes!	
6. Accidental release measures		
6.1 Person-related safety precautions:	If the effects of fumes dust aerosol: aerosols. Use in the absence of aspiration breathing. Ensure adequate ventilation.	
6.2 Measures for environmental protection:	Remains/Dental scrap should be disposed environmentally friendly. Swarf is not allowed to enter drainage system, surface or ground water	
6.3 Measures for cleaning/collecting:	Dry grinding dust by mechanical means or suckers record and disposal in appropriate containers fill, dust generation. Not use compressed air blow not.	
6.4 Reference to other sections:	see section 4.ff	
7. Handling and storage		
7.1 Information for safe handling:	Arrange good ventilation / exhaustion at workplace. Prevent formation of dust. During thermal processing or splinter processing Extractors are required on the processing machines.	
7.2 Conditions for safe storage, including intolerances:	Only in the original container. The delivery units must be secured against sliding, tilting, rolling and falling.	
Common storage notes:	not required	
Storage and container:	Only store in original package.	




0434

Safety Data Sheet

-Cobalt-

According to EG 1907/2006 (REACH)



Versions-No.: 05

Valid from: 12/2014
Replaces version No. 04 from 09/2013

	The delivery units need to be protected against sliding, overturning, rolling and falling.
Further information about storage conditions:	None
Storage class: Classification according to Ordinal on Industrial Safety and Health:	VCI 13 Deleted
7.3 Specific end uses:	Guarantee batch traceability.
8. Exposure controls and personal protection	
8.1 To be monitored parameter:	Particulate matter limits by TRGS 900
8.2 Limiting and monitoring exposure:	<p>Particulate matter MAK 6 mg/m³ 1317-35-7 Manganese oxide MAK 1 mg/m³ 7440-48-4 Cobalt (2, 3,25; TRGS 901-12) MAK 0,1 E mg/m³ 7440-47-3 Chrome AGW 2 E mg/m³ (1 (I); 10, EU) IOELV (EU) 2 mg/m³ als Cr</p> <p>Please note a valid general particulate matter limit values according to TRGS 900</p>
Personal protective equipment:	<p>Wear safety shoes.</p> <p>Respiratory protection: In case of inadequate ventilation or lack of suction FFP3 mask.</p> <p>Protective gloves: At least protection index 2 injection contact recommended, corresponding to more than 30 minutes of permeation time according to EN 374 Min thickness / gloves = 0.4 mm With longer and frequent contact Protective index 6 recommended, according to more than 480 minutes of permeation time according to EN 374 Min thickness / gloves = 0.7 mm</p> <p>Material of gloves:</p> <ul style="list-style-type: none"> - butyl rubber - Fluorocarbon rubber (Viton) - nitrile - Natural rubber (latex) - chloroprene rubber - Neoprene gloves <p>Penetration time of glove material: The exact penetration time for the protective gloves and has to be observed.</p> <p>Eye protection: Goggles (DIN EN 175, DIN EN 166)</p> <p>Body protection: Light protective clothing</p>
General protective and hygienic measures:	<p>During processing not eat, drink or smoke. Wash hands before breaks and after finishing work. Avoid contact with eyes and skin. Dust, smoke, Do not inhale fumes.</p>




0434

Safety Data Sheet

-Cobalt-

According to EG 1907/2006 (REACH)



Versions-No.: 05

Valid from: 12/2014
Replaces version No. 04 from 09/2013

9. Physical and chemical properties	
9.1 Information on basic physical and chemical properties:	<p>Tensile strength: ~ 400 - 900 MPa</p> <p>Hardness: ~ 285 - 450 HV 10</p> <p>Elongation: > 2 - 16%</p> <p>Young's modul: ~ 150 - 240 GPa</p> <p>density: ~ 8.2 - 8.5 g / cm³</p> <p>Coefficient of thermal expansion: ~ 14 - 16 (x10⁻⁶K⁻¹)</p> <p>Melting point: ~ 1250 - 1420 ° C</p> <p>Danger of explosion: Product is not explosive</p> <p>ph: not applicable</p>
9.2 Other information:	<p>Form: Rod, disc, cylinder or varying geometries</p> <p>Colour - product specification: Metallic bright</p> <p>Smell: Odorless</p> <p>Solubility in / Miscibility with water: Insoluble</p> <p>Inflammability: non-flammable</p>
10. Stability and reactivity	
10.1 Reactivity: 10.2 Chemical stability: 10.3 Possibility of hazardous reactions: 10.4 Conditions to avoid: 10.5 Incompatible materials: 10.6 Hazardous decomposition products:	<p>not applicable</p> <p>not applicable</p> <p>not applicable</p> <p>not applicable</p> <p>not applicable</p> <p>No hazardous decomposition products</p>
11. Toxicological information	
11.1 Information on toxicological effects:	<p>The product does not trigger toxic reactions and is not allergenic.</p> <p>Inhalation of dust may result in respiratory irritation.</p> <p>Irritation of the eyes and skin are possible through direct contact with the dust.</p>
12. Ecological information	
12.1 Acute toxicity: 12.2 Persistence and degradability: 12.3 Bioaccumulative potential: 12.4 Mobility in soil: 12.5 Results of PBT and vPvB assessment: 12.6 Other adverse effects:	<p>Results of animal experiments are not known</p> <p>not applicable</p> <p>not known</p> <p>not applicable</p> <p>not known</p> <p>not known</p> <p>The product is not subject to classification according to the calculation method of the General Classification guideline for preparations of the European Community in the last version.</p>




0434

Safety Data Sheet

-Cobalt-

According to EG 1907/2006 (REACH)



Versions-No.: 05

Valid from: 12/2014
Replaces version No. 04 from 09/2013

13. Disposal considerations	
13.1 Waste treatment Methods:	<p>The disposal of the product does not pose any danger, however, the waste must be disposed of according to national or regional regulations.</p> <p>Recommendation: Contact waste material market (alloy) regarding recycling</p> <p>European waste catalogue 06 03 15: - The waste created when grinding 12 01 01 - Ferrous metal filings and filing</p> <p>Contaminated packaging: recommendation: Contaminated packaging must be disposed of like the product. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.</p>
14. Transport information	
14.1 UN number: 14.2 UN proper shipping Name: 14.3 Transport Hazard classes: 14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions: 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and under IBC Code:	<p>-</p> <p>not applicable</p> <p>Dental alloys are not a dangerous good under transport regulations:</p> <ul style="list-style-type: none"> - Ground transport ADR/RID und GGVS/GGVE (cross-border/domestic) - Maritime transport IMDG/GGV sea - Air transport ICAO-TI und IATA-DGR <p>not applicable</p> <p>see section 13</p> <p>No special precautions</p> <p>See 14.3</p>
15. Regulatory information	
15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture: 15.2 chemical safety assessment:	<p>Designation according to EC guidelines: The product is not subject to EU-Richtlinien/GefStoffV. The usual precautionary measures for handling chemicals should be observed (see section 6.1).</p> <p>Klassifikation by Betriebssicherheitsverordnung (BetrSichV): inapplicable</p> <p>Code letter and hazard designation of product: inapplicable</p> <p>Hazard-determining components of labeling: inapplicable</p> <p>Not applicable</p>
16. Other information	
<p>These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.</p> <p>Eisenbacher Dentalwaren ED GmbH makes no express or implied warranty or guarantee as to the accuracy, reliability or completeness of the information. Persons receiving this information</p>	




0434

Safety Data Sheet

-Cobalt-

According to EG 1907/2006 (REACH)



Versions-No.: 05

Valid from: 12/2014
Replaces version No. 04 from 09/2013

are encouraged by Eisenbacher dental goods ED GmbH deliver the product to any other than the intended purpose of section 1.2. The user is responsible for compliance with all relevant legal requirements.

The product must be used by trained dental technicians who have knowledge of the proper use manner and can therefore be considered a misuse of responsibility.

Relevant H- und P-phrases	<p>H334 May cause allergy or asthma symptoms or cause breathing difficulties.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H413 May be harmful to aquatic life with long lasting effects.</p> <p>P280 Wear protective gloves/clothes/ eye cover/ facemask</p> <p>P260 Do not inhale dust</p> <p>P342+P311 If symptoms of the air passages should occur, please contact toxic information center or doctor</p> <p>P304+P341 Please get fresh air or get into position which makes breathing easier inhaling</p> <p>P333+P313 Consult doctor after rash</p> <p>P302+P352 IF ON SKIN: Wash with soap and water.</p>
Abbreviations and Terms	<p>ADR: Accord européen sur le transport des marchandises dangereuses par route</p> <p>CAS: Chemical Abstracts Service (division of the American Chemical Society)</p> <p>CLP: Classification Labelling Packaging</p> <p>EINECS: European Inventory of Existing Commercial Chemical Substances</p> <p>GHS: Globally Harmonized System</p> <p>H-Satz: Hazard statement (Gefährdungen)</p> <p>IATA: International Air Transport Association</p> <p>IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)</p> <p>ICAO: International Civil Aviation Organization</p> <p>ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)</p> <p>IMDG: International Maritime Code for Dangerous Goods</p> <p>LC50: Lethal concentration, 50 percent</p> <p>LD50: Lethal dose, 50 percent</p> <p>P-Satz: Precautionary statement (Vorsichtsmaßnahmen)</p> <p>PBT: Provider Backbone Transport</p> <p>RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)</p> <p>vPvB: very persistent very bioaccumulating</p>